

CLAIM AMENDMENTS

1     1.     (Currently Amended) A method for defining and monitoring a service level  
2           agreement, wherein the service level agreement defines for a particular network a  
3           level of service that has been offered to a customer by a service provider, the  
4           method comprising the computer-implemented steps of:  
5           creating a schema that provides a set of rules for defining both the contents of  
6                    service level agreements and how to organize the contents of service level  
7                    agreements;  
8           receiving information defining the service level agreement, wherein said  
9           information defines one or more tests for monitoring the level of service  
10          that has been offered to the customer; and  
11          verifying that the information defining the service level agreement conforms to  
12          the set of rules in said schema.

1     2.     (Previously Presented) The method recited in claim 1, further comprising the  
2           steps of:  
3           if said information defining the service level agreement conforms to the set of  
4           rules in said schema, then  
5           distributing the one or more tests to one or more agents that are configured  
6                    to communicate with devices that are associated with the particular  
7                    network;  
8           receiving result information based on the devices performing the one or  
9           more tests; and  
10          creating and storing reporting information that indicates whether the  
11          customer is receiving the level of service that has been offered.

1     3.     (Original) The method recited in claim 1, wherein the step of creating a schema  
2           includes the step of generating a schema based on Extensible Markup Language  
3           (XML), wherein the schema provides a template for defining service level  
4           agreements.

- 1     4.     (Original) The method recited in claim 1, further comprising the steps of:  
2             generating, at a server, interface data for defining service level agreements; and  
3             communicating the interface data to a client that is remote from said server,  
4                     wherein the interface data allows users to define tests for monitoring the  
5                     level of service that is being provided by the service provider.
- 1     5.     (Previously Presented) The method recited in claim 1, further comprising the step  
2             of verifying that the particular network includes one or more devices that may be  
3             configured to perform the one or more tests.
- 1     6.     (Currently Amended) A computer readable medium carrying sequences of  
2             instructions for defining and monitoring a service level agreement, wherein the  
3             service level agreement defines for a particular network a level of service that has  
4             been offered to a customer by a service provider, the sequences of instructions  
5             including instructions for performing the steps of:  
6             creating a schema that provides a set of rules for defining both the contents of  
7                     service level agreements and how to organize the contents of service level  
8                     agreements;  
9             receiving information defining the service level agreement, wherein said  
10             information defines one or more tests for monitoring the level of service  
11             that has been offered to the customer; and  
12             verifying that the information defining the service level agreement conforms to  
13             the set of rules in said schema.
- 1     7.     (Previously Presented) The computer readable medium recited in claim 6, further  
2             comprising instructions for performing the steps of:  
3             if said information defining the service level agreement conforms to the set of  
4             rules in said schema, then

5                   distributing the one or more tests to one or more agents that are configured  
6                   to communicate with devices that are associated with the particular  
7                   network;  
8                   receiving result information based on the devices performing the one or  
9                   more tests; and  
10                  creating and storing reporting information that indicates whether the  
11                  customer is receiving the level of service that has been offered.

1    8.       (Original) The computer readable medium recited in claim 6, wherein the step of  
2              creating a schema includes the step of generating a schema based on Extensible  
3              Markup Language (XML), wherein the schema provides a template for defining  
4              service level agreements.

1    9.       (Original) The computer readable medium recited in claim 6, further comprising  
2              instructions for performing the steps of:  
3              generating, at a server, interface data for defining service level agreements; and  
4              communicating the interface data to a client that is remote from said server,  
5              wherein the interface data allows users to define tests for monitoring the  
6              level of service that is being provided by the service provider.

1    10.      (Currently Amended) A network device configured for defining and monitoring a  
2              service level agreement that defines for a particular network a level of service that  
3              has been offered to a customer by a service provider, comprising:  
4              a network interface;  
5              a processor coupled to the network interface and receiving information from the  
6              network interface;  
7              a computer-readable medium accessible by the processor and comprising one or  
8              more sequences of instructions which, when executed by the processor,  
9              cause the processor to carry out the steps of:

10                   creating a schema that provides a set of rules for defining both the contents  
11                   of service level agreements and how to organize the contents of  
12                   service level agreements;  
13                   receiving information defining the service level agreement, wherein said  
14                   information defines one or more tests for monitoring the level of  
15                   service that has been offered to the customer; and  
16                   verifying that the information defining the service level agreement  
17                   conforms to the set of rules in said schema.

1   11.   (Currently Amended) A network device configured for defining and monitoring a  
2           service level agreement that defines for a particular network a level of service that  
3           has been offered to a customer by a service provider, comprising:  
4           means for creating a schema that provides a set of rules for defining both the  
5           contents of service level agreements and how to organize the contents of  
6           service level agreements;  
7           means for receiving information defining the service level agreement, wherein  
8           said information defines one or more tests for monitoring the level of  
9           service that has been offered to the customer; and  
10          means for verifying that the information defining the service level agreement  
11          conforms to the set of rules in said schema.

1   12.   (Previously Presented) A method for monitoring a service level agreement,  
2           wherein the service level agreement defines for a particular network a level of  
3           service that has been offered to a customer by a service provider, the method  
4           comprising the computer-implemented steps of:  
5           receiving information defining the service level agreement, wherein said  
6           information defines one or more tests for monitoring the level of service  
7           that has been offered to the customer;  
8           distributing the one or more tests to one or more agents that are configured to  
9           communicate with devices that are associated with the particular network;

10 receiving result information based on the devices performing the one or more  
11 tests; and  
12 creating and storing reporting information that indicates whether the customer is  
13 receiving the level of service that has been offered.

1 13. (Original) The method recited in claim 12, further comprising the steps of:  
2 generating a schema based on Extensible Markup Language (XML), wherein the  
3 schema provides a template for defining service level agreements; and  
4 wherein the step of receiving information defining a service level agreement  
5 includes the step of receiving information that has been generated in  
6 accordance with said schema.

1 14. (Original) The method recited in claim 12, further comprising the steps of:  
2 generating, at a server, interface data for defining the service level agreement; and  
3 communicating the interface data to a client that is remote from said server,  
4 wherein the interface data allows users to define tests for monitoring the  
5 level of service that is being provided by the service provider.

1 15. (Previously Presented) A computer readable medium carrying sequences of  
2 instructions for monitoring a service level agreement, wherein the service level  
3 agreement defines for a particular network a level of service that has been offered  
4 to a customer by a service provider, the sequences of instructions including  
5 instructions for performing the steps of:  
6 receiving information defining the service level agreement, wherein said  
7 information defines one or more tests for monitoring the level of service  
8 that has been offered to the customer;  
9 distributing the one or more tests to one or more agents that are configured to  
10 communicate with devices that are associated with the particular network;  
11 receiving result information based on the devices performing the one or more  
12 tests; and

13           creating and storing reporting information that indicates whether the customer is  
14           receiving the level of service that has been offered.

1   16.   (Original) The computer readable medium recited in claim 15, further comprising  
2           instructions for performing the steps of:  
3           generating a schema based on Extensible Markup Language (XML), wherein the  
4                 schema provides a template for defining service level agreements; and  
5           wherein the step of receiving information defining a service level agreement  
6                 configuration includes the step of receiving information that has been  
7                 generated in accordance with said schema.

1   17.   (Original) The computer readable medium recited in claim 15, further comprising  
2           instructions for performing the steps of:  
3           generating, at a server, interface data for defining the service level agreement; and  
4           communicating the interface data to a client that is remote from said server,  
5                 wherein the interface data allows users to define tests for monitoring the  
6                 level of service that is being provided by the service provider.

1   18.   (Previously Presented) A network device configured for monitoring a service  
2           level agreement that defines for a particular network a level of service that has  
3           been offered to a customer by a service provider, comprising:  
4           a network interface;  
5           a processor coupled to the network interface and receiving information from the  
6                 network interface;  
7           a computer-readable medium accessible by the processor and comprising one or  
8                 more sequences of instructions which, when executed by the processor,  
9                 cause the processor to carry out the steps of:  
10           receiving information defining the service level agreement, wherein said  
11                 information defines one or more tests for monitoring the level of  
12                 service that has been offered to the customer;

13                    distributing the one or more tests to one or more agents that are configured  
14                    to communicate with devices that are associated with the particular  
15                    network;  
16                    receiving result information based on the devices performing the one or  
17                    more tests; and  
18                    creating and storing reporting information that indicates whether the  
19                    customer is receiving the level of service that has been offered.

1    19.    (Original) The network device recited in claim 18, further executing instructions  
2           for performing the steps of:  
3           generating a schema based on Extensible Markup Language (XML), wherein the  
4           schema provides a template for defining service level agreements; and  
5           wherein the step of receiving information defining a service level agreement  
6           configuration includes the step of receiving information that has been  
7           generated in accordance with said schema.

1    20.    (Original) The network device recited in claim 18, further executing instructions  
2           for performing the steps of:  
3           generating, at a server, interface data for defining the service level agreement; and  
4           communicating the interface data to a client that is remote from said server,  
5           wherein the interface data allows users to define tests for monitoring the  
6           level of service that is being provided by the service provider.

1    21.    (Previously Presented) A network device configured for monitoring a service  
2           level agreement that defines for a particular network a level of service that has  
3           been offered to a customer by a service provider, comprising:  
4           means for receiving information defining the service level agreement, wherein  
5           said information defines one or more tests for monitoring the level of  
6           service that has been offered to the customer;

7 means for distributing the one or more tests to one or more agents that are  
8 configured to communicate with devices that are associated with the  
9 particular network;  
10 means for receiving result information based on the devices performing the one or  
11 more tests; and  
12 means for creating and storing reporting information that indicates whether the  
13 customer is receiving the level of service that has been offered.

1 22. (Currently Amended) ~~A method for monitoring a level of service that is being~~  
2 ~~provided to a customer by a service provider, the method comprising the~~  
3 ~~computer implemented steps of:~~ The method recited in claim 1, further  
4 comprising the steps of:  
5 storing information that defines the level of service that has been guaranteed to  
6 [[a]] the customer by [[a]] the service provider[.];  
7 wherein the one or more tests are one or more metric tests, and the step of  
8 receiving information defining the service level agreement comprises:  
9 receiving through a standardized open interface metric parameter  
10 information that defines the one or more metric tests that are to be  
11 used to verify that the customer is receiving the level of service  
12 that has been guaranteed by the service provider; and  
13 verifying that based on the metric parameter information, the one or more  
14 metric tests will provide an appropriate set of tests for measuring  
15 the level of service that is being provided to the customer by the  
16 service provider.

1 23. (Original) The method recited in claim 22, wherein the step of verifying the one  
2 or more metric tests includes the step of verifying that the one or more metric tests  
3 conform to a standard of testing that has been approved by the service provider.



1    24.    (Currently Amended) ~~A method for monitoring a service level agreement,~~  
2           ~~wherein the service level agreement defines for a particular network a level of~~  
3           ~~service that has been offered to a customer by a service provider, the method~~  
4           ~~comprising the computer implemented steps of:~~ The method recited in claim 1,  
5           wherein said information is first information, and the method further comprises  
6           the steps of:  
7           ~~receiving a service level agreement definition that defines one or more tests for~~  
8           ~~monitoring the level of service that is being provided to the customer;~~  
9           receiving second information defining a service level contract, definition wherein  
10           said second information ~~that~~ defines apply times for performing the one or  
11           more tests; and  
12           verifying that said first information defining the service level agreement ~~definition~~  
13           and said second information defining the service level contract ~~definition~~  
14           conform with the level of service that has been offered to the customer by  
15           the service provider.

1    25.    (Previously Presented) The computer readable medium recited in claim 6, further  
2           comprising instructions for performing the step of verifying that the particular  
3           network includes one or more devices that may be configured to perform the one  
4           or more tests.

1    26.    (Previously Presented) The network device recited in claim 10, wherein the  
2           computer-readable medium further comprises instruction for performing the steps  
3           of:  
4           if said information defining the service level agreement conforms to the set of  
5           rules in said schema, then  
6           distributing the one or more tests to one or more agents that are configured  
7           to communicate with devices that are associated with the particular  
8           network;

9                   receiving result information based on the devices performing the one or  
10                   more tests; and  
11                   creating and storing reporting information that indicates whether the  
12                   customer is receiving the level of service that has been offered.

1   27.   (Previously Presented) The network device recited in claim 10, wherein the  
2           instructions for creating a schema includes instructions for generating a schema  
3           based on Extensible Markup Language (XML), wherein the schema provides a  
4           template for defining service level agreements.

1   28.   (Previously Presented) The network device recited in claim 10, wherein the  
2           computer-readable medium further comprises instruction for performing the steps  
3           of:  
4           generating, at a server, interface data for defining service level agreements; and  
5           communicating the interface data to a client that is remote from said server,  
6                   wherein the interface data allows users to define tests for monitoring the  
7                   level of service that is being provided by the service provider.

1   29.   (Previously Presented) The network device recited in claim 10, wherein the  
2           computer-readable medium further comprises instruction for performing the step  
3           of verifying that the particular network includes one or more devices that may be  
4           configured to perform the one or more tests.

1   30.   (Previously Presented) The network device recited in claim 11, further  
2           comprising:  
3           if said information defining the service level agreement conforms to the set of  
4                   rules in said schema,  
5                   means for distributing the one or more tests to one or more agents that are  
6                   configured to communicate with devices that are associated with  
7                   the particular network;

8 means for receiving result information based on the devices performing  
9 the one or more tests; and  
10 means for creating and storing reporting information that indicates whether  
11 the customer is receiving the level of service that has been offered.

1 31. (Previously Presented) The network device recited in claim 11, wherein the  
2 means for creating a schema includes means for generating a schema based on  
3 Extensible Markup Language (XML), wherein the schema provides a template for  
4 defining service level agreements.

1 32. (Previously Presented) The network device recited in claim 11, further  
2 comprising:  
3 means for generating, at a server, interface data for defining service level  
4 agreements; and  
5 means for communicating the interface data to a client that is remote from said  
6 server, wherein the interface data allows users to define tests for  
7 monitoring the level of service that is being provided by the service  
8 provider.

1 33. (Previously Presented) The network device recited in claim 11, further  
2 comprising means for verifying that the particular network includes one or more  
3 devices that may be configured to perform the one or more tests.

1 34. (Previously Presented) The network device recited in claim 21, further  
2 comprising:  
3 means for generating a schema based on Extensible Markup Language (XML),  
4 wherein the schema provides a template for defining service level  
5 agreements; and  
6 wherein the means for receiving information defining a service level agreement  
7 includes means for receiving information that has been generated in  
8 accordance with said schema.

- 1    35.    (Previously Presented) The network device recited in claim 21, further  
2           comprising:  
3           means for generating, at a server, interface data for defining the service level  
4           agreement; and  
5           means for communicating the interface data to a client that is remote from said  
6           server, wherein the interface data allows users to define tests for  
7           monitoring the level of service that is being provided by the service  
8           provider.
- 1    36.    (New) The computer readable medium recited in claim 6, further comprising  
2           instructions for performing the steps of:  
3           storing information that defines the level of service that has been guaranteed to the  
4           customer by the service provider;  
5           wherein the one or more tests are one or more metric tests, and the step of  
6           receiving information defining the service level agreement comprises:  
7           receiving through a standardized open interface metric parameter  
8           information that defines the one or more metric tests that are to be  
9           used to verify that the customer is receiving the level of service  
10           that has been guaranteed by the service provider; and  
11           verifying that based on the metric parameter information, the one or more  
12           metric tests will provide an appropriate set of tests for measuring  
13           the level of service that is being provided to the customer by the  
14           service provider.
- 1    37.    (New) The computer readable medium recited in claim 36, wherein the step of  
2           verifying the one or more metric tests includes the step of verifying that the one or  
3           more metric tests conform to a standard of testing that has been approved by the  
4           service provider.

1     38.     (New) The computer readable medium recited in claim 6, wherein said  
2             information is first information, and the computer readable medium further  
3             comprises instructions for performing the steps of:  
4             receiving second information defining a service level contract, wherein said  
5                     second information defines apply times for performing the one or more  
6                     tests; and  
7             verifying that said first information defining the service level agreement and said  
8                     second information defining the service level contract conform with the  
9                     level of service that has been offered to the customer by the service  
10             provider.

1     39.     (New) The network device recited in claim 10, wherein the computer-readable  
2             medium further comprises instructions for performing the steps of:  
3             storing information that defines the level of service that has been guaranteed to the  
4                     customer by the service provider;  
5             wherein the one or more tests are one or more metric tests, and the instructions for  
6                     receiving information defining the service level agreement includes  
7                     instructions for:  
8                     receiving through a standardized open interface metric parameter  
9                             information that defines the one or more metric tests that are to be  
10                             used to verify that the customer is receiving the level of service  
11                             that has been guaranteed by the service provider; and  
12             verifying that based on the metric parameter information, the one or more  
13                     metric tests will provide an appropriate set of tests for measuring  
14                     the level of service that is being provided to the customer by the  
15             service provider.

1     40.     (New) The network device recited in claim 39, wherein the instructions for  
2             verifying the one or more metric tests includes instructions for verifying that the  
3             one or more metric tests conform to a standard of testing that has been approved  
4             by the service provider.

1     41.     (New) The network device recited in claim 10, wherein said information is first  
2             information, and the computer readable medium further comprises instructions for  
3             performing the steps of:  
4             receiving second information defining a service level contract, wherein said  
5                     second information defines apply times for performing the one or more  
6                     tests; and  
7             verifying that said first information defining the service level agreement and said  
8                     second information defining the service level contract conform with the  
9                     level of service that has been offered to the customer by the service  
10             provider.

1     42.     (New) The network device recited in claim 11, further comprising:  
2             means for storing information that defines the level of service that has been  
3                     guaranteed to the customer by the service provider;  
4             wherein the one or more tests are one or more metric tests, and the means for  
5                     receiving information defining the service level agreement comprises:  
6                     means for receiving through a standardized open interface metric  
7                             parameter information that defines the one or more metric tests that  
8                             are to be used to verify that the customer is receiving the level of  
9                             service that has been guaranteed by the service provider; and  
10             means for verifying that based on the metric parameter information, the  
11                     one or more metric tests will provide an appropriate set of tests for  
12                     measuring the level of service that is being provided to the  
13             customer by the service provider.

1     43.     (New) The network device recited in claim 11, wherein the means for verifying  
2             the one or more metric tests includes means for verifying that the one or more  
3             metric tests conform to a standard of testing that has been approved by the service  
4             provider.

1     44.     (New) The network device recited in claim 11, wherein said information is first  
2             information, and the network device further comprises:  
3             means for receiving second information defining a service level contract, wherein  
4                 said second information defines apply times for performing the one or  
5                 more tests; and  
6             means for verifying that said first information defining the service level agreement  
7                 and said second information defining the service level contract conform  
8                 with the level of service that has been offered to the customer by the  
9                 service provider.